

Made from Vulcanized Composition Rubber (VCR), PaveSafe Big E-Tiles are ideal for extreme strength training and can handle extreme abuse. Available in 30 and 44.5mm these dense tiles are portable and allow you to create temporary and mobile outdoor spaces for heavy weight drop. Big E-Tiles are exceptionally durable and provide superior coefficient of friction in both wet and dry environments.

MARKETS

Fitness

APPLICATIONS

- Free Weights
- Extreme Weights
- Outdoor

BENEFITS

- Excellent shock absorption and protection
- Slip-resistant when wet
- Low cost and environmentally-friendly
- Temporary, Replaceable and Portable





PRODUCT INFORMATION

Nominal Dimensions:

Talk to your local sales rep to determine availability, pricing, minimums, and lead times.



Big E-Tiles:

- 30mm (1.19) x 24" (0.61m) x 24" (0.61m)
- 43mm (1.6975") x 24" (0.61m) x 24" (0.61m)



PaveSafe Reducer (use with 43mm) 12" (30.48cm) x 39"(.99m) Thickness: 1 11/16"(43mm)



PaveSafe Beveled Edge Reducer (use with 30mm) 2.5" (6.35cm) x 39" (.99m)

Thickness: 15/16"(24mm)

For more information on these accessories click here.

Available Options:



Solid Black

THE NRG FACTOR



Force Reduction
Absorption of impact energy



Energy Restitution
Useful return of impact energy







Safety

Ergonomics

Acoustics



ADDITIONAL INFORMATION

Warranty

All Big E-Tiles are guaranteed by Ecore to be free from manufacturing defects on both material and workmanship. If such a defect is discovered, the customer must notify Ecore either through the contracting installer, distributor, or directly. If found to be defective within three years under normal non-abusive conditions, the sole remedy against the seller will be the replacement or repair of the defective goods; or, at the seller's option, credit may be issued not exceeding the selling price of the defective goods.

Please Note

Big E-Tiles are intended as a temporary surface covering, not as a permanently installed surface. Ecore is committed to sustainable manufacturing practices and the reuse of manufacturing products whenever possible to eliminate our waste stream. Because this product is not intended as permanent flooring, but a protective cover, Ecore reutilizes first quality manufacturing excess as part of the formula for this product. This may result in visual irregularities, but does not affect the performance of the material.



